

WHAT IS CLAIMED IS:

1. A document delivery method comprising:
identifying different types of network destinations for receiving a document;
formatting said document for each of said different types of network
5 destinations without re-imaging said document; and
sending said formatted document to each of said different types of network destinations from a multifunction device.
2. The method of claim 1, wherein sending said formatted document to each of said different types of network destinations is via serial transmission.
3. The method of claim 1, further comprising converting said document to electronic format, wherein said electronic document is formatted and sent.
4. The method of claim 1, wherein identifying said different types of network destinations is based at least in part on a user selection.
5. The method of claim 1, wherein identifying said different types of network destinations is based at least in part on a user-identified limitation.
6. The method of claim 1, wherein formatting said document is based at least in part on a property of the different types of network destinations.
7. The method of claim 1, wherein formatting said document is based at least in part on a property of the document.
8. The method of claim 1, further comprising resending said document to at least one of said different types of network destinations upon a predetermined condition being satisfied.

9. The method of claim 8, wherein said predetermined condition is satisfied when said document is undeliverable to said at least one of said different types of network destinations.

10. The method of claim 8, wherein resending said document is according to a user-selected cycle function.

11. A document delivery method comprising:

converting a printed document to an electronic document only once with a multifunction device;

5 identifying different types of network destinations to receive said electronic document;

formatting said electronic document for each of said different types of network destinations; and

sending said formatted electronic document from said multifunction device to each of said identified different types of network destinations.

12. The method of claim 11, wherein sending said formatted document to each of said different types of network destinations is via serial transmission.

13. The method of claim 11, wherein identifying said different types of network destinations is based at least in part on a user-identified limitation.

14. The method of claim 11, wherein formatting said electronic document is based at least in part on the type of said network destination.

15. The method of claim 11, further comprising resending said electronic document to at least one of said different types of network destinations upon a predetermined condition being satisfied.

16. The method of claim 15, further comprising satisfying said predetermined condition when said electronic document is undeliverable to said at least one of said different types of network destinations.

1875

5

20. The multifunction device of claim 19, wherein said computer-readable program code comprises program code for limiting said different types of network destinations based on said at least one user selection.

21. The multifunction device of claim 18, further comprising a computer-readable address book for identifying said different types of network destinations.

22. The multifunction device of claim 18, wherein said computer-readable program code comprises program code for configuring a property of said document for each of said different types of network destinations.

23. The multifunction device of claim 18, further comprising program code for converting said document to electronic format.

24. The multifunction device of claim 18, wherein said computer-readable program code comprises program code for resending said document to at least one of said different types of network destinations upon a predetermined condition being satisfied.

25. The multifunction device of claim 24, wherein said predetermined condition is satisfied when said document is undeliverable to said at least one of said different types of network destinations.

10016465-1